GENERAL INDEX.

***The more important classified entries will be found under the following heads: *Diseases*, *Floras*, *Journals*, *Personals*, *Reviews*.

*** Names of synonyms are printed in *Italics;* names of new species in **bold face;** * signifies death.

A

A. A. A. S., Madison meeting, 35, 276, 364; proceedings of Section G, 333; proceedings of Botanical Club, 342.
Abolboda brasiliensis, 314.
Acacia Koa, 19.
Acanthorhiza aculeata, 40.
Acer rubrum, embryo-sac of, 375; pollen-spores in female flowers of, 377.
Achenial hairs, of Compositae, 378; types of, 380.
Aconitum Noveboracense, 43; character of roots of, 98, 99; pyrenaicum, 15.
Acrosporium fructigena, 85.
Actaea alba, 44; spicata var. rubra, 44.
Adenocalymna (?) **Ocositense,** 209.
Æcidium Fraxini, 451; Penstemonis, 453; pustulatum, 454; tuberculatum, 453.
Ægyphila arborescens, 7; elata, 7; **falcata,** 7.
Æsculus Hippocastanum, flowers of, 107.
Agave angustissima, 114; fiber producing, 323; Virginica, 458.
Agricultural Colleges, American Association of, 25.
Agricultural Experiment Stations of the U. S., 326.
Aleurites Moluccana, 19.
Algae, parasitic, 342.
Allium **Hendersoni,** 237.
Alnus maritima, 369.
Ampelopsis, forms of, 344; quinquefolia, 70.
Anaerobiosis, 338.
Anaesthetics, influence of on plant transpiration, 56.
Anatomical, characters in roots of Ranunculaceae as basis for classification, 46; and physiological researches, 311.
Anemone, Caroliniana, 41; Pennsylvanica, 44, var. alba, 44; Virginiana, 44.
Anemonella thalictroides, 42, 44, 45.
Anthracnose of bean, 28.
Aphelandra **Heydeana,** 210.
Apical cell, 8.
Apios tuberosa, 465.
Apocynum cannabinum, 48.
Apospory in ferns, 79.
Aquilegia Canadensis, 44, 45.
Ardisia *micrantha,* 4; **venosa,** 205.
Arenaria alsinoides, var. **ovatifolia,** 198.
Arnold Arboretum, 436.
Arracacia Donnellsmithii, 55; **Luxeana,** 55.
Asclepias **Guatemalensis,** 207.
Ascobolus Costantini, a new slime flux, 400.
Assimilation, 409.
Aster, laevis, 351; **MacDougall,** 301; macrophyllus, 381; Novae-Angliae, 381; oblongifolius, 381; turbinellus, 114.
Astragalus, **atropubescens,** 300; **strigosus,** 299.
Australasian Ass'n for Advancement of Science, 282.
Auxanometer, 348.
Avena sativa, development of caryopsis, 223.

B

Bacillus **limicola,** 440; **litorosus,** 444; **maritimus,** 445; **pelagicus,** 443.
Bacteria, 71; bouillon cultures, 414; chromogenic, 337; depth of occurrence in ocean, 389; distribution of in ocean, 387; entering plant tissue through wounds, 96; exclusively in mud, 392, 393; immunity from in plants, 398; in salt and fresh water, 387, 388; in mud of sea bottom, 389, 390, 391; morphology and physiology of marine, 383, 411, 439; non-parasitic in vegetable tissue, 93; number of in ocean water, 386; oceanic distribution of species, 411, 415; of ocean, effect on nitrate solutions, 413; of ocean, experiment on insolation, 414; of sea, general features, 411; of sea near Woods Holl, 383; of sea, relation to gaseous environment, 412; of sea, zones of distribution, relation to marine waters, 385; parasitic, 72; pathogenic, 411; relation of to sea floor, 389; resistance of plants to, 398.
Bacterium, anthracis, 94, 95; butyricus, 94, 95; cholerae gallinarum, 94; diphtheriae, 94, 95; lactis aerogenes, 94; luteus, 95; megaterium, 94; pathogenic in plant tissues, 95; prodigiosus, 95; pyocyaneus, 95; typhosus, 94.
Banana family, 437.
Bean disease, 28, 79.
Beloit College, Science Hall, 78.
Benthamian series of flowering plants, revision of, 332.
Bibliography, 190, 355, 471; of American botany, 279, 337, 466, 467.
Bidens frondosa, 381.
Bigelovia nudata, 381.
Binomials, duplicate 343.
Biological station at Gull Lake, 280.
Biology, a course in elementary, 432.
Boissier, Bulletin de l'Herbier, new journal, 79.
Bombus Americanorum as pollinator, 52.
Botanical, Club, proceedings, 342; Congress, proceedings, 350, reasons for, 316; Society, 347, 349; charter members, 368.
Botrychium, prothallium, 345.
Botrytis, 92.
Brassica oleracea, 417.
British fungi, handbook, 21.
British Museum, department of Botany, 81.
Bruchia, 344.
Bulletins of Agr. Exp. Stations, 155, 243, 327, 474.

Bumelia, ferox, 4; **lelogyna,** 4; *persimilis,* 4; **pleistochasia,** 4.
Burk, Isaac, 195.
Buxbaumia, sexual organs in, 154.

C

Cactus grafts, 290.
Caesalpinia, 121; **brachycarpa,** 123; **canescens,** 123; **caudata,** 123; **drepanocarpa,** 122; **Drummondii,** 123; **falcaria,** and vars. **stricta, densiflora, Rusbyi, Pringlei, capitata,** 122; **fruticosa,** 123; **gladiata,** 122; **intricata** and var. **glabra,** 123; **Jamesii,** 123; **melanosticta,** and vars. **Parryi** and **Greggii,** 123; **multijuga,** 123; **oxycarpa,** 122; **platycarpa,** 122; **Texana,** 123; **virgata,** 123; **viscosa,** 123; **Watsoni,** 122.
Callus, examination of in grafts, 290.
Calochortus, **ciliatus,** 238.
Caltha palustris, 15, 43.
Caladium esculentum, 19.
Campbell, vacation in Hawaiian Islands, 19.
Canna, 151.
Capparis **Heydeana,** 197.
Capsicum, 84.
Carbohydrates, origin of, 408.
Carbon dioxide, amount used by plants, 408; as food of plants, 404, 405, 407.
Carnation Society, 155.
Caryopsis, development of, 212.
Cassia, Chamaecrista, 464; obtusifolia, inflorescence of, 464.
Catalpa speciosa, 325.
Ceanothus Americanus, 48.
Cell, its organs, 103; union in grafting, 285.
Centaurea Cyanus, 382.
Centrifugal apparatus, 344.
Centrosema Virginiana, 461, 465.
Cephalurus mycoidea, 341.
Cercospora Ribis, 27.
Cereus senilis, slow growth of, 151.
Chaetomium, 91.
Chara compressa, 141; **Stantoni,** 141.
Characeae, two monographs of, 113.
Champia parvula, 79.
Check-list, rules for, 343; of Gray's Manual, 279; usage, 346.
Cibotium, 21.
Cimicifuga racemosa, 44.
Citromyces Pfefferianus, 327: glaber, 327.
Citrus aurantium, 417; vulgaris, 417.
Classification, 367; evolution and, 329.
Claviceps purpurea, 453.
Clematis verticillaris, 44; Virginiana, 44.
Clidemia cymifera, 203.
Clitoria Mariana, 460, 465.
Collecting in vacation, 395.
Colocasia antiquorum, 19.
Coloptera in pollination, 51, 267.
Colors of flowers and foliage, 340.
Columbian national flower, 152.
Comandra umbellata, pollination of, 50, 51.
Comatricha **caespitosa,** 186.
Compass plants, literature of, 152.
Compositae, achenial hairs of, 378.
Congress, Botanical, 38, 316.
Coniferae, 10, 33, 281.
Co-operation in botanical work, 429.
Coptis trifolia, 42, 44.
Corallorhiza, 166.
Coreopsis aristosa, 382.
Coriandrum sativum, 56.
Cornell University summer courses in, 244.
Cornus paniculata, 48.
Cortex, 42; in roots of Ranunculaceae, 41, 42, 46, 47.
Cosmos, 28.
Cotton root rot, 16.
Cuban text book on botany, 468.
Cucurbitaceae, 12.
Cultures, of cotton root rot, 16; of fungus spores, 88, 447; methods in study of fungi 401; of organism causing leguminous tubercles, 160.
Cunila Mariana as a frost weed, 184, 185.
Cuphea utriculosa, var. **Donnell-Smithii,** 203.
Cyanea, 23.
Cyanophalla cyanophallophora, 197; polyantha, 197.
Cycads, 10; of Kew, 39; new, 114.
Cylindrosporium, 27.
Cypripedium spectabile, poisonous? 142.

D

Damping-off fungus, 26.
Daucus montanus, 56.
DeCandolle, Alphonse*, 94.
Dermatogen, 8.
Desert plants in Egypt, 83.
Development of the caryopsis, 212.
Dicranodontium Millspaughii, 76; Virginicum, 76.
Dictionary, botanical, 32.
Dictyanthus **ceratopetalus,** 208; parviflorus, 208; reticulatus, 208.
Digestion in plants, 409.
Dionaea muscipula, 105.
Diptera in pollination, 50, 51, 267.
Diseases, 398; Bean, 28, 79; citrus fruits, 342; cotton, 16, 26; cucurbits, 339; potato, 27; prevalence of root, 345; prevention, 27; privet, 153; quince, 25; rutabaga, 27; sclerotium, 342.
Distribution—condition affecting, 341.
Dittany, frost freaks of, 183.
Dodecatheon crenatum, 301.
Dolichos Sinensis, 159.
Draparnaldia, zoospores of, 294.
Drosera Anglica, 401; rotundifolia, 105; longifolia, 105.
Dyes used for color experiments in anaesthetizing plants, 62.
Dysodia papposa, 382.

E

Education, National Council, 40.
Ehretia, **Luxiana,** 5; **Mexicana,** 5.
Ellisia nyctelea, pollination of, 49, 50.
Elodea Canadensis, root hairs in, 315.
Embriobroma, 469.
Embryo-sac, Acer rubrum, 375; Senecio aureus, 245.
Enantiophylla, 55; **Heydeana,** 56.
Endodermis, 43, 44.
Endosperm of Senecio aureus, 252.
Entomosporium maculatum, 25.
Equisetum limosum, 316; tubers of, 138.
Eryngium Carlinae, 54.
Erythea, new journal, 39.
Erythronium, variation in species, 134.
Eugenia Malaccensis, 19.
Eulophus peucedanoides, 55.
Eupatorium villosum, 380.
Eustis, Fla., sub-tropical laboratory, 348.
Evaporation of water from plants, 304.

Evolution and Classification, 329.
Exchange, Bureau of, 79.
Exobasidium, a new form, 348.
Experiment Stations, botanical work in, 81; bulletins, 155, 243, 327, 474.

F

Fermentation tube, 338.
Ferns, the phylogeny of, 106.
Fertilization of Senecio aureus, 249.
Fimbristemma calycosa, 209; **stenosepala**, 208.
Fleshy plants, 282.
Floras, Africa, 325 (Pteridophytes); Atlantic, 383 (bacteria); Australia, 281; Canada, 151, 243 (parasitic fungi); Costa Rica, 433 (Compositae); Denver, 321; Guatemala, 1, 197; Mexico, 278; Minnesota, 116, 316; North America, 195 (sphagna), 429, 474; Paraguay, 278; Washington, 237; West Indies, 436.
Flowers, and insects, 147, 267; of the horse-chestnut, 107.
Food of green plants, 335, 403, 410, 411.
Forest influences, 434.
Fossil plants, preparation to show lignified parts, 437.
Frasera Carolinensis, 48.
Freycinetia, 22.
Frost in plants, 28, 183, 417.
Fructification of Juniperus, 369.
Fuchsia, arborescens, var megalantha, 2; experiment with in anaesthetizing 63.
Fucoideae, anatomy and physiology of, 116.
Fungi, British hand-book of, 32; exsiccati, 401; parasitic, 116.
Fungus, Pammel's, 16.
Fusarium, 18, 26.

G

Galax aphylla, 114.
Gases in living plants, 113.
Gelatine culture for Monilia spores, 89.
Geotropism in Euglena, 437.
Geranium grafts, 289.
Germination, 80.
Ghiesbrecht, August B.,* 194.
Gnetaceæ, 10.
Gleichenia dichotoma, 21.
Gloeosporium, cingulatum, 153; fructigenum, 26, 153.
Grafting, the callus in, 290; cell-union in, 285; geranium and potato, 289; geranium and tomato, 289; hybrid, 111; of monocotyledonous plants, 290; potato and tomato, 287; tomato on tomato, 286.
Gramineae, distribution of, 340; grain of, 212; prophylla, 354.
Growth, secondary changes thro', 100.
Guatemalan plants, 1, 197.
Guettarda macrosperma, 204.
Gull Lake biological station, 280; notes from, 315.

H

Habenaria blephariglottis, var. holopetala, 190; ciliaris, 190; fimbriata, new var., 189; leucophaea, pollination of, 53; psycodes, 189.
Hairs, achenial of Compositae, 378.
Halictus confusus, 48; as a pollinator, 49, 50.
Hamamelis Virginiana, 369, 372.
Hauya elegans, 3; **Heydeana**, 3; **Rodriguezii**, 3.
Hawaiian Islands, vacation in, 19.
Hedysarum flavescens, 300.
Helianthemum Canadense, 185.
Helianthus, annuus, 10; occidentalis, 382.
Helodiscus argenteus, var. bifrons, 200; discolor, 200.
Hemiptera in pollination, 267.
Hepatica, acutiloba, 43; triloba, 43.
Hepaticae, notable collections of, 112.
Herbarium, Harvard, 196; National, 356.
Hibiscus Moscheutos, 395.
Hoffmanseggia, all N. Am. species reduced to synonyms under Caesalpinia, 123.
Hoffmannia rotata, 204.
Hopkins Seaside Laboratory, 243.
Horse-chestnut, flowers of, 107.
Hot-springs, vegetation of, 187.
Hybrid, graft, 111; **oak**, 110.
Hydrastis Canadensis, 44.
Hydrocharis, 11.
Hydrocotyle, Mexicana, 54; prolifera, 54.
Hymenomyceteae, list, 281.
Hymenophyllum, 21.
Hymenoptera in pollination, 50, 51, 267.
Hypericum Canadense var. majus, 71.

I

Idaho, botanical work in, 80.
Ilex, glabra, 395; laevigata, 395; opaca, 395; verticillata, 395.
Index, N. A. Phanerogams and Pteridophytes, 79; need of current, 190.
Indiana Academy of Science, 244.
Inebriants among plants, 81.
Infection needle, 335.
Inflorescence, of Leguminosae, 463.
Inoculation, experiments with organism causing leguminous tubercles, 162; of plant tissue by bacteria, 94, 95.
Insects and flowers, 47, 267.
Insectivorous plants, nutrition of, 105.
Instruction, botanical, in American Universities, 339.
Introduced plants in arid regions, 435.
Ipomoea, 22; hederacea, 26.
Iron, relation of plant to, 311.
Irregular flowers, inflorescence of, 465.
Irritability, 123; latent, 312.
Isopyrum biternatum, 15; thalictroides, 54.

J

Jaeger collection, 345.
Jannicke, Dr. W.*, 243.
Jersey or scrub pine, rust affecting, 334.
Journals and serial publications: Agric. Science, 80, 152, 326, 401, 473; **Am. Brewer's Rev.**, 81; **Am. Chem. Jour.**, 281; **Am. Florist**, 155; **Am. Nat.**, 39, 115, 243, 437, 474; **Annales d. Sci. Nat.** 243; **Annals Bot.** 154, 156, 437; **Annals Scottish Nat. Hist.** 401; **Ber. deutsch. bot. Gesell.** 153, 326, 327, 328; **Bibliotheca Botanica**, 115; **Bot. Centralbl.** 79, 400, 437, 438; **Bot. Jaarboek**, 437; **Bot. Surv. Nebr.** 193; **Bot. Zeit.** 116; **Bull. Agric. Exp. Sta.** (Ala.) 243, (Ariz.) 243, (Colo.) 474, (Conn.) 155, 244, (Del.) 155, (Iowa) 474, (Kan.) 243, (Mass.) 244, (N. Y.) 75, 153, 155, 243, 327, (N. D.) 243, (Ohio) 327, (S. D.) 327, (Tex.) 155, (Vt.) 155, 474, (Va.) 327, (Wis.) 76, 155, 474; **Bull. Boissier**, 79, 115, 281; **Bull. Bot. Dept. Jamaica**, 193; **Bull. Soc.**

Linn. Norm. 437; Bull. Torr. Bot. Club, 142, 154, 193, 284, 324, 438, 166, 467; Canadian Record Sci. 243; Compt. Rend. 115, 401; Deutsch. bot. Monat. 152: Dodonaea, 437; Erythea, 39, 152, 283, 436; Exp. Sta. Record, 155, 473; Flora, 152, 154; Forst.-nat. Zeit. 400, 401, 402; Garden and Forest, 78, 79, 114, 438; Gardeners' Chronicle, 33, 39, 79, 151, 325, 436; Gartenflora, 325; Grevillea, 281; Hedwigia, 79, 152; Household, 152; Jen. Zeit. Nat. 438; Jour. Bot. 81, 114, 193, 437, 473; Jour. Chem. Soc. 283; Jour. de Botanique, 79, 115, 154; Jour. Mycology, 402; Jour. Quekett Micr. Club, 244; Jour. Roy. Agric. Soc. 283; Jour. Roy. Micr. Soc. 153; Just's Bot. Jahresb. 324, 400, 472; Kew Bull. 83, 436; Meehan's Monthly, 79, 115, 118; Micr. Bull. 152; Naturae Novitates, 399; Natuerlich. Pflanzenfam. 78, 152, 153. 193, 282, 437; Pflueger's Archiv., 437; Pringsh. Jahrb. 116, 328; Proc. A.A.A. S. 155; Proc. Philad. Acad. 152, 195, 244; Proc. Rochester Acad. 281; Rep. Mo. Bot. Gard. 83; Rev. Bryol. 80; Science, 40, 80, 81, 115; Zeit. f. wiss. Mikr. 438; Zoe, 280, 325, 467.
Juanulloa sargii, 5.
Juncus, 13.
Juniperus, fructification of, 338, 369.

K

Karyokinesis, in Spirogyra, 277.
Kuetzing, Dr. F. T.*, 436.
Kuhnia eupatorioides, 381.
Kuntze, Dr. Otto, 351.

L

Laboratories, botanical in American colleges, 339; of plant diseases at Berkeley, 81.
Leaflets, transpiration of, 65, 66, 67.
Leguminosae, 11, 13; color of flowers, 459; inflorescence of, 465; root-tubercles of, 152, 157, 226, 257.
Leland Stanford University, Seaside Laboratory, 243.
Lepidoptera in pollination, 267.
Liatris gracilis, 380.
Lichens of Black Hills, 336; of Lancaster Co. (Pa.), 151.
Light, relation of, to effect of anaesthetics, 60.
Liverworts, 21.
Lobelia cardinalis, 395.
Lobeliaceae, 23.
Lower California, flora of, 34.
Luzula, 13.
Lycopersicum esculentum, 58, 59.
Lycopodium, 21.
Lysimachia, nemorum, 47; nummularia, 47; quadrifolia, 47; vulgaris, 47, 48.

M

Macropis ciliata, 48; labiata, 48; patellata, 48; steironematis, 47, 48.
Macrosporium, 27.
Madison Botanical Congress, 350.
Mailing, Nat. Hist. spec., 428.
Mallostoma Shanholi, 203.
Malvaceae, 12.
Marattia Douglasii, 21; development of, 337.
Marine biological laboratory, 243, 283.
Marrubium vulgare, 28.
Medicago denticulata, 159.
Megachile brevis, in pollination, 52.
Melia Azederach, 417.
Melilotus alba, 48.
Meristem, 8, 41; types of structure, 99; study; of, 97.
Mertensia lanceolata, 302.
Metabolism, destructive, 408.
Metrosideros, 19.
Mexico, new plants, 34.
Micrampelis echinata, 396.
Microsphaera, Alni, 71; erineophila, 71.
Microtome, Reinhold-Giltay, 438.
Mimulus Lewisii var. exsertus, 302.
Missouri Botanical Gardens, 83.
Mohria, Carolina, 438; diptera, 438; parviflora, 438.
Moisture, atmospheric, relation of to influence of anaesthetics, 64, 65.
Monilia, fructigena, 82, 92, 93; peculiar mycelial spores of, 90, 91; Peckiana var. angustior, 93.
Mosses, found in hot springs, 189; list of N. Am., 80.
Motile organ in Cercis Canadensis, 338.
Movement of protoplasm, 58.
Mucor, 18.
Mulberries, 75.
Mushrooms, poisonous, 435.
Myrodia, 1.
Myxobacter aureus, 29; **simplex**, 29.

N

Names, formation of, 326; popular plant, 420.
Naples, Zoological station, 284.
Nebraska, botanical survey, 80.
Nepenthes Mastersi, 105.
Nepeta cataria, 28.
New Orleans, Agricultural Association, 25.
New Zealand plants, 40.
Nicaragua, exploration of, 40.
Nitella, 113.
Nitrate solutions, effect of bacteria on, 412.
Nitrogen, assimilation of, 283.
Nomenclature, 144; committee on, 153, 336; of horticulture, 355; of plant diseases, 351.
Nyman, Carl Friedrich*, 368.
Nymphaea lutea, 8.
Nutrition of insectivorous plants, 105.

O

Oak, a hybrid, 110.
Oedocephalum, 18.
Œnanthe fistulosa, 48.
Œnothera linearis, 466.
Ohio, woody plants of, 345.
Oidium fructigenum, 85; laxum, 85; Tuckeri, 401; Wallrothii, 85.
Onoclea sensibilis, 395.
Oospora fructigena, 85.
Ophioglossum, 334; pendulum, 21.
Opuntia prolifera, 79, 115.
Orchids, 154.
Orchis spectabilis, pollination of, 52.
Ouratea, gigantophylla, 2; olivaeformis, 2; **podogyna**, 2.
Oxalic acid, protective function of, 438.
Oxalis, acetosella, 71; **clematodes**, 198; pentantha, 199.
Ozonium, 17, 18.

P

Paeonia officinalis, 15.
Paleobotany, 115.
Palm, a new Florida, 348.
Papilionaceae, 12.
Parathesis **calophylla**, 205; **micrantha**, 4.
Parthenocissus quinquefolia, 397.
Passiflora caerulea, 123.
Penicillium, 18.
Pentosanes in plants, 281.
Pentoses in plants, 130.
Pentstemon, confertus, 302; var. caeruleo-purpureus, 302; **ellipticus**, 302; humilis, 302; **linearifolius**, 302.
Perithecia, of Oidium Tuckeri, 401.
Peronospora viticola, 453.
Peronosporeae, 26.
Persicaria, 150.
Personals, Armstrong, 151; Arthur, 82; Ascherson, 153; Atkinson, 155; Bailey (L. H.), 155; Bailey, (W. W.), 325; Baillon, 153; Baker, 151, 153; Batalin, 153; Bay, 79; Bessey, 40; Billings, 284; Bolley, 83, 153; Brandis, 368; Brannon, 82; Britton, 153; Burchard, 473; Bureau, 153; Campbell, 40; Caruel, 153; Celakovsky, 153; Chester, 155; Clark, 153, 474; Coulter (John M.), 40, 82, 153, 282; Coulter (Stanley), 82; Coville, 114; Crepin, 153; Dalla Torre, 436; Darwin (Francis), 39; De Candolle, 153; Dragendorff, 473; Durand, 153; Eastwood, 280; Engler, 153; Fernald, 116; Fisher, 82; Fries, 153; Gain, 115; Goff, 155; Golden, 82; Greene, 152, 153; Heller, 151; Henriques, 153; Hooker, 39, 153. Humphrey, 400; Jepson, 39; Jones, 155; Kanitz, 153; Kerner, 153; Kuntze, 194; Lagerheim, 39; Lange, 153; Lara, 153; Lasche, 81; Loew, 473; Macchiati, 325; Malinvaud, 153; Martelli, 325; Martin, 83; MacDougal, 280; Maxwell, 473; Meehan, 326; Moeller, 436; Mottier, 82; Mueller, 153; Oliver, 280; Pammel, 80; Pax, 244, 280; Prentiss, 155; Price, 155; Radlkofer, 153; Reppert, 80; Rothrock, 115; Ryder, 284; Saccardo, 153; Sandberg, 79; Schmalhausen, 153; Shimek, 40; Somers, 82; Sorauer, 473; Stewart, 80; Stiles, 284; Stone, 473; Sturgis, 155; Suksdorf, 40; Suringar, 153; Thomas, 83; Thompson, 40; True, 451; Uline, 82, 282; Underwood, 82; Vasey (Flora), 281; Vasey (Geo.), 401; Vilmorin, 325; Willkomm, 153; Wilson, 284; Witter, 80; Wittrock, 153; Wittmack, 325; Wright, 82; Zacharias, 327.
Personal names for species, 345.
Petalostemon **glandulosus**, 299.
Petunia violacea, 58, 59.
Peziza, bolaris, 91; tuberosa, 91.
Phallogaster saccatus, 117.
Philibertia **refracta**, 207.
Phlox Drummondii, 28.
Phoma Cydoniae, 25.
Photography in micro-organism cultures, 334.
Photosyntax, 409, 410.
Phylactinia suffulta, 71.
Phyllosiphon, 341.
Phylogeny of ferns, 106.
Physarum sulphureum, 187.
Physcomitrium, 341.
Physiology, 79; action at a distance, 196; researches, 311.
Phytolacca icosandra, var. octogyna, 210.
Phytophthora infestans, 27, 453.
Pinguicula vulgaris, 105.
Pinus, rigida, 334; Virginiana, 334.
Pistia, 11.
Plantago Patagonica var. **lanatifolia**, 303.
Plant-press, new, 152.
Plum, black knot of, 349.
Polistes metricus, pollination by, 49.
Pollination, 4, 9, 50, 51, 52, 53; Abutilon avicennae, 269; Frasera Carolinensis, 48; Geranium Caroliniauum, 272; Hibiscus lasiocarpus, 270; Hibiscus Trionum, 271; Malva rotundifolia, 268; Melilotus alba, 273; Oenothera Missouriensis, 345; Oxalis violacea, 272; Steironema longifolium, 48; Stellaria media, 268.
Polygonatum, 79.
Polygonum, 150.
Polyporus, carnivorous? 76, 151.
Popular plant names, 420.
Portulaceae, rearrangement of, 152.
Potentilla heterosepala, 2; *Donneil-Smithii*, 2.
Prantl, Dr. Karl,* 152.
Primula sinensis, 58, 59.
Prophylla of Gramineae, 334.
Prothallium of Botrychium, 345.
Protoplasmic movements, experiments on, 58.
Prunus serotina, 93.
Puccinia, Agropyri, 79; **Californica**, 254; Caricis, 453; Clarkii, 255; coronata, 448; Cymopteri, 255; graminis, 449, 452, 453, 454; Grindeliae, 455; Hieracei, 454; **Intermedia**, 254; Malvastri, 456; Phragmitis, 456; **Polemonii**, 255; Redfieldiae, 456; Rubigovera, 448, 453, 454, 455; **rufescens**, 253; Sorghi, 454; Sporoboli, 456; variolans, 455.
Pythium DeBaryanum, 26.

Q

Quercus, alba, 111; macrocarpa, 110; Muhlenbergii, 110; prinoides, 110; Prinus, 111.
Quince diseases, 25.

R

Ranunculaceae, 13, 14, 15, 16; roots of 8, 41, 97.
Ranunculus, acris, 42; aquatilis, 43; bulbosus, 43; circinatus, 43; fascicularis, 43; fluitans, 15; hispidus, 43; Lapponicus, 299; multifidus, 43; palustris, 43; Pennsylvanicus, 43; recurvatus, 43; repens, 15; sceleratus, 44; root characters of, 97, 98; septentrionalis, 42, 43.
Ray herbarium, 193.
References, citation of, 238.
Researches, anatomical and physiological, 103, 138, 311.
Reviews, *Allen's* "Characeae," 113; *Allen's* "Check-list," 279; *Bailey's* "Queensland plants," 323; *Bay's* "Bibliography of tannoids," 241, 279; *Bidgood's* "Practical Biology," 432; *Brandegee's* "Additions to flora of L. Calif.," 34; *Britton's* "Lespedeza," 92; *Buchenau's* "Flora of E. Frisian islands," 193; *Clark's* "Index of new species," 323; *Crevey's* "Recreations in botany," 469; *Crozier's* "Dictionary of botanical terms," 32; *Dana's* "Wild flowers," 319; *Dean's* "Dionaea," 34; *Diaz's* "Cuban botany."468; *Eastwood's* "Denver flora," 321; *Engler's* "Classification of monocotyledons," 191; *Fernow's* "Forest influences," 434; *Frank's* "Lehrbuch der Botanik," 366; *Geddes'* "Chapters in modern botany," 432; *Gibson's* "Sharp eyes," 73; *Glatfelter's* "Venation of Salix," 434; *Hitchcock's* "Plants of the W. Indies," 149, and "Woody plants," 76; *Humphrey's*

"Saprolegniaceae," 341; *King's* "Investigations of soil moisture," 76; *Klatt's* "Compositae of Costa Rica," 433; *Lesquereux's* "Flora of the Dakota group," 37; *Loew's* "Action of poisons," 327; *MacFarlane's* "Plant hybrids," 149; *MacMillan's* "Metaspermae of the Minn valley," 146; *Massee's* "British fungus-flora," 31, 240; *Masters'* "Conifers," 33; *Mills & Deby's* "Diatomaceae," 433; *Millspaugh's* "W. Va. catalogue," 33; *Molt's* "Karyokinesis in Spirogyra," 277; *Morong's* "Paraguay plants," 278; *Munson's* "Secondary effects of pollination," 147; *Newell's* "Reader in botany," 320; *Nordstedt's* "Characeae," 113; *Robertson's* "Flowers and insects," 148; *Robinson's* "Contributions from Gray Herb.," 34, 320; *Russell's* "Bacteria and vegetable tissue," 397; *Sachs'* "Pflanzen-Physiologie," 239; *Smith's* "Enumeratio Plantarum Guatemalensium," 433; *Smith's* "Peach yellows," 322; *Spalding's* "High school botany," 430; *Spruce's* "Hepaticae of the Amazons and Andes," 112; *Stokes'* "Analytical Keys," 322; *Thaxter's* "Laboulbeniaceae," 321; *Trelease's* "Studies of Yucca," 148; *Underwood's* "Bibliography of Hepaticae," 322; *Warnecke's* "Lehrbuch der Botanik," 74; *Willey's* "New Bedford lichens," 149.
Rhammus capreaefolia var. **discolor**, 200; Frangula, 48.
Rhizopus nigricans, 26.
Rhus, glabra, 48; typhina, 48.
Rhythm, curvatures by, 154.
Roestelia aurantiaca, 25.
Root hairs in Elodea Canadensis, 315.
Roots, of Orchids, 337; of Ranunculaceae, 8, 41, 97; summary of study, 100, 101.
Rootstocks, vertical, 457.
Root-rot of cotton, 16.
Rubus, adenotrichos, 202; Bogotensis, 202; coriifolius, 202; deliciosus, 301; fagifolius, 202; floribundus, 202; fruticosus, 48; humistratus, 202; Liebmannii, 202; **polyophyllus**, 202; scandens, 202; Schiedeanus, 202; **superbus**, 201; tiliaefolius, 202; trilobus var. **Guatemalensis**, 201; Uhdeanus, 202; villosus, 48.
Rudbeckia pinnata, 381.
Rutabaga rot, 27.

S

Sabal Adansonii, 458.
Saccharomyces Aquifolia, 139; Ilicis, 139.
Salix balsamifera, 114.
Salsola Kali var. tragus, 275.
Salt-wort and common thistle, 275.
Sanicula Mexicana, 54.
Scabiosa atropurpurea, 28.
Scenedesmus acutus, polymorphism, 281.
Schizomycetes, a new order of, 29.
Schlegelia, **cornuta**, 6.
Schools of Botany, 30.
Sclerotinia, Fuckeliana, 91; Libertiana, 91; tuberosa, 91; Vaccinii, 91, 92.
Scutellaria lateriflora, 71.
Seaton, Henry E.,* 194.
Seeds, effect of unripe, 341; weed, 26.
Selaginella, 21.
Senebiera Coronopus, 395.
Senecio aureus, 245.
Shedding of branch tips, 465.
Shrinkage of leaves in drying, 340.
Sisal hemp, 323.
Sloanea pentagona, 1.
Snails, protection against, 191.
Solandi printing, 335.
Solanum tuberosum, 60, 61, 63, 64.
Solar light, effect on marine organisms, 415.
Spananthe paniculata, 54.
Species, and evolution, 340.
Sphagna of Labrador, 325.
Spiranthes, autumnalis, 52; gracilis, 51, 52.
Spirogyra, karyokinesis in, 277.
Sporangia of ferns, comparative study, 335.
Spore, of Monilia, 88, 89; limitation of the term, 130; of Uredineae, 447.
Sporidiola, a new method of producing, 455.
Stachys aspera, 71.
Starch, 283; elaboration of in cells, 407.
Steironema, ciliatum, 48; lanceolatum, 47; longifolium, 48.
Stigmaphyllon **cordatum**, 198.
Stylosanthes elatior, 466.
Styrax **conterminum**, 5; cordatum, 5; leprosum, 5; ovatum, 5.
Sundews, capture of butterflies, 401.
Symbiosis, in Corallorhiza, 169, 170; in roots of Ophioglossaceae, 334.
Symplocarpus foetidus, 457.
Syngamete, 435.

T

Tabernaemontana **arborea**, 206; **Donnell-Smithii**, 206.
Tendrils, 123, 345; inter-twining, 396.
Tephrosia, ambigua, 459; hispidula, 459; spicata, 459.
Terminology, 435; of anatomy, morphology, physiology, 351, 353; of spores, 130.
Thalictrum, 15; dioicum, 44, 45; polygamum, 44, 45.
Thouinia acuminata var. **pubicalyx**, 200.
Tinantia **lelocalyx**, 211.
Tissues, secondary in monocots, 156.
Torula fructigena, 85; Novae-Carlsbergiae, 139.
Tradescantia **Guatemalensis**, 210; zebrina, tomato grafts on, 290.
Transpiration, influence of anaesthetics on, 56; of entire plant, 59, 304.
Trees of Kansas, 279.
Tree ferns, 21.
Trichomanes, 21.
Trifolium, Carolinianum, 159; procumbens, 159.
Triticum vulgare, development of caryopsis, 220.
Trollius laxus, 43.
Tubercles in Leguminosae, 151, 226, 437.
Turnip rot, 27.
Tynanthus Goudotiana, 6; **Guatemalensis**, 6.
Types, necessity of seeing, 344.

U

Umbelliferae, North American, 54.
Uncinula circinata, 71.
Uredineae, 281; germination of, 447.
Uredo, **Arbuti**, 256; Coeoma-nitens, 451, 454.
Uromyces, Hyperici, 71; Zygadeni, 453.
Ustilago, Carbo, 453; **Holwayi**, 253.
Utricularia **Varapazensis**, 209.

V

Vaccinium, 22.
Vallisneria spiralis, 14.
Valsa, 349.
Vascular system in roots of water Ranunculaceae, 46, 47.

Vasey, Dr. Geo.*, 114; biographical sketch, 170.
Vegetative point, meristem of, 101.
Vegetation of hot springs, 187.
Vicia sativa, 158.
Viola sagittata, 417.
Violet rays, influence of in flowering, 39.
Vitality in Uredineae, 452.

W

Water, evaporation of from plants, 304.
West Virginia, catalogue, 33.
Wheat rust, 338.
Wimmeria, **cyclocarpa**, 199.
Wolle, Francis, biographical sketch, 109.
Woods Holl, bacterial flora, 439.
Woodwardia angustifolia, 395.
World's Fair, botany at, 357.

X

Xanthoxylum, **foliosum**, 1: Pterota, 1.
Xylem, 42, 43.
Xylosma Quichense and var. **subalpina**, 198; **spiculiferum**, 198.
Xyrideae, 313.
Xyris, **savannensis**, 314; **witsenioides**, 314.

Y

Year-book of Botany, 324, 399, 471.
Yeast fungi, 139.

Z

Zea Mays, 28; development of caryopsis, 214.
Zoospores of Draparnaldia, 294.

482

INDEX TO AUTHORS.

Atkinson, Geo. F., 16, 157, 266, 257.

Bailey, W. Whitman, 395.
Barnes, Chas. R., 403.
Bay, J. Christian, 103, 105, 139, 187, 279, 311, 312, 471.
Bergen, Fannie D., 420.
Berthoud, E. L., 435.
Bessey, Chas. E., 36, 329.

Campbell, D. H., 19.
Canby, Wm. (& Rose), 170.
Carleton, M. A., 447.
Cook, O. F., 76.
Coulter, John M. (& Rose), 54; (& Fisher), 299.

Deane, Walter, 143.
Dewey, L. H., 275.
Dietel, P., 253.

Fisher, E. M., 121; (& Coulter), 299.
Foerste, August F., 457.

Grout, A. J., 71.

Hitchcock, A. S., 110.
Holm, Theo., 139, 313, 324.
Humphrey, James Ellis, 85.

Jack, John G., 369.
Jesup, H. G., 142, 189.
Johnson, L. N., 294.
Jones, Herbert L., 111.

Knerr, E. B., 70.
Knowlton, F. H., 37, 141.

MacDougal, D. T., 123, 396.
MacMillan, Conway, 35, 130, 151, 315, 435.
Maxwell, Fred. B., 8, 41, 97.
Meads, M. E., 134.
Mottier, D. M., 106, 245, 375.

Newell, Jane H., 107.
Nichols, Mary A., 378.

Pammel, L. H., 25.

Rand, Edward L., 242.
Rolfs, P. H., 417.
Robertson, Chas. 47, 267.
Robinson, B. L. (& Seaton), 237.
Rose, J. N. (& Coulter), 54; (& Canby), 170.
Russell, H. L., 93, 383, 411, 439.

Schneider, Albert, 56.
Seaton, H. E. (& Robinson), 237.
Smith, John Donnell, 1, 197.
Stone, Geo. E., 28.
Sturgis, W. C., 186.
Swingle, W. T., 399.

Thaxter, Roland, 29, 117.
Thomas, M. B., 166.
True, Rodney H., 212.

Ward, Lester F., 183.
Woods, Albert F., 304.
Wright, John S., 285.